

according to Commission Regulation (EU) 2020/878 as amended

# STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier STAPAR PŁYN DO CZYSZCZENIA OPON

Substance / mixture mixture

UFI 0C60-S0RV-J00C-078W

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

Silicone-based tire cleaner for enhancing shine and protection.

Main intended use

PC-CLN-17.9 Tyre care products (excludes vehicular shampoos and cleaning agents)

### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

## 1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name STAPAR Sp. z o.o.

Address Wenecja 62, Żnin, 88-400

Poland

 VAT Reg No
 PL5621804826

 Phone
 +48 (52) 561 04 82

 E-mail
 biuro@stapar.pl

 Web address
 www.stapar.pl

Competent person responsible for the safety data sheet

Name STAPAR Sp. z o.o. E-mail biuro@stapar.pl

## 1.4. Emergency telephone number

European emergency number: 112

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1A, H317 Eye Irrit. 2, H319

## Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause an allergic skin reaction.

### 2.2. Label elements

### **Hazard pictogram**



#### Signal word

Warning

#### **Hazardous substances**

citral

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

### **Hazard statements**

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date 1.0 Version

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear protective gloves.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

#### Supplemental information

Composition according to (EC) No 648/2004, as amended: 15-<30 % Polydimethylsiloxane, <5 % non-ionic surfactants, perfumes, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE, Citral

#### 2.3.

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 160875-66-1 EC: 605-233-7	Alcohols C10, ethoxylated	0,5-1,1	Acute Tox. 4, H302 Eye Dam. 1, H318	
Index: 605-019-00-3 CAS: 5392-40-5 EC: 226-394-6 Registration number: 01-2119462829-23	citral	0,05-0,1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	0,001- 0,0015	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1A, H317: $C \ge 0.0015\%$ Skin Irrit. 2, H315: $0.06\% \le C < 0.6\%$ Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$	

#### **Notes**

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

Full text of all classifications and hazard statements is given in the section 16.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

 ${\tt DO\ NOT\ INDUCE\ VOMITING\ -\ even\ the\ inducted\ vomiting\ can\ cause\ complications\ as\ in\ case\ of\ detergents\ and\ other\ foaming\ substances.}$ 

#### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

### If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye irritation.

#### If swallowed

Irritation, nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

# 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow runoff of contaminated fire extinguishing material to enter drains or surface and ground water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

### 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

### **DNEL**

citral	citral						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source		
Workers (0)	Inhalation	9 mg/m <sup>3</sup>	Chronic effects systemic		ECHA		
Consumers (0)	Inhalation	2.7 mg/m <sup>3</sup>	Chronic effects systemic		ECHA		
Workers (0)	Dermal	1.7 mg/kg bw/day	Chronic effects systemic		ECHA		
Consumers (0)	Dermal	1 mg/kg bw/day	Chronic effects systemic		ECHA		
Workers (0)	Dermal	0.140 mg/cm <sup>2</sup>	Chronic effects local		ECHA		
Consumers (0)	Dermal	0.140 mg/cm <sup>2</sup>	Chronic effects local		ECHA		
Consumers (0)	Oral	0.6 mg/kg bw/day	Chronic effects systemic		ECHA		

#### **PNEC**

citral	citral						
Route of exposure	Value	Value determination	Source				
Drinking water	6.78 µg/l		ECHA				
Water (intermittent release)	67.8 μg/l		ECHA				
Marine water	678 μg/l		ECHA				
Microorganisms in sewage treatment	1.6 mg/l		ECHA				
Sea sediments	0.0125 mg/kg of dry substance of sediment		ECHA				



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

citral						
Route of exposure	Value	Value determination	Source			
Freshwater sediment	0.125 mg/kg of dry substance of sediment		ECHA			

#### 8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

Protective eyewear or face shield (depending on the type of work) - in accordance with ISO 16321-1:2022-10 "Eye and face protection for occupational applications." Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the effects of the product - in accordance with EN ISO 374-1 "Gloves protecting against dangerous chemicals and microorganisms". If a prolonged or frequently repeated contact with the product is anticipated, it is recommended to wear gloves with a protection class of 6 (puncture time greater than 480 minutes according to EN 374). If only brief contact with the product is expected, it is advisable to wear gloves with a protection class of 4 or higher (puncture time greater than 120 minutes according to EN 374). Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

### Respiratory protection

It is not needed.

#### Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liauid Colour white Odour characteristic Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available 7-11 (undiluted) нα Kinematic viscosity data not available Solubility in water data not available Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1-1.1 g/cm³
Relative vapour density data not available
Particle characteristics data not available

### 9.2. Other information

not available



according to Commission Regulation (EU) 2020/878 as amended

# STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

not available

## 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

### **Acute toxicity**

Based on the available data, the criteria for classification of the mixture are not met.

STAPAR PŁYN DO CZYSZCZENIA OPON						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	45280 mg/kg				Calculation of value
Dermal	ATE	5800000 mg/kg				Calculation of value
Inhalation (vapor)	ATE	13200 mg/l				Calculation of value

Alcohols C10, ethoxylated						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	>2000-5000 mg/kg		Rat (Rattus norvegicus)		
Inhalation	LC50	>20 mg/l				
Dermal	LD50	>2000-5000 mg/kg				

citral						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	6800 mg/kg		Rat (Rattus norvegicus)	F/M	
Dermal	LD50	2250 mg/kg		Rabbit		

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	64-66 mg/kg		Rat (Rattus norvegicus)		



according to Commission Regulation (EU) 2020/878 as amended

# STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Dermal	LD50	141 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD50	87 mg/kg		Rabbit		

## Skin corrosion/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Alcohols C10, ethoxylated						
Route of exposure	Result	Exposure time Species				
	Negative					

### Serious eye damage/irritation

Causes serious eye irritation.

Alcohols C10, ethoxylated						
Route of exposure	Result	Method	Exposure time	Species		
	Serious eye damage					

citral						
Route of exposure	Result	Method	Exposure time	Species		
Eye	Irritating	OECD 405		Rabbit		

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

### **Sensitization**

Alcohols C10, ethoxylated				
Route of exposure	Result	Exposure time	Species	Sex
	Not sensitizing			

## Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Alcohols C10, ethox	ylated				
Result	Method	Exposure time	Specific target organ	Species	Sex
Negative					

citral					
Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471				



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

citral					
Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 476		Ovary	Chinese hamster (Cricetulus barabensis)	F
Negative	OECD 473		Ovary	Chinese hamster (Cricetulus barabensis)	F
Negative	OECD 474			Mouse	F/M

### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### **Acute toxicity**

citral	citral				
Parameter	Method	Value	Exposure time	Species	Environme nt
LC50		6.78 mg/l	96 hours	Fish (Leuciscus idus)	
EC50		6.8 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50		103.8 mg/l	72 hours	Algae and other aquatic plants (Desmodesmus subspicatus)	



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

citral					
Parameter	Method	Value	Exposure time	Species	Environme nt
EC50	OECD 209	160 mg/l	0,5 hours	Algae (Selenastrum capricornutum)	

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)					
Parameter	Method	Value	Exposure time	Species	Environme nt
LD50		0.19 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC50		0.16 mg/l	48 hours	Daphnia (Daphnia magna)	

## 12.2. Persistence and degradability

Data for the mixture are not available. The mixture is biodegradable.

#### **Biodegradability**

citral					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	>90 %			Easily biodegradable

### 12.3. Bioaccumulative potential

Data for the mixture are not available.

citral						
Parameter	Method	Value	Exposure time	Species	Environment	Temperatur e [°C]
Log Pow	OECD 107	2.76				

## 12.4. Mobility in soil

No data are available for either the mixture or the components.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

#### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (OJ L 167, 27.6.2012) REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

A safety assessment for the mixture is not required.

#### **SECTION 16: Other information**

H290

### A list of standard risk phrases used in the safety data sheet

11230	ria, be corresive to metalsi
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.

May be corrosive to metals.

# Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear protective gloves.



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to by handing over to the person authorized to

dispose of waste or by returning to the supplier.

A list of additional standard phrases used in the safety data sheet

EUH071 Corrosive to the respiratory tract.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods

by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50%

of the population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Met. Corr. Corrosive to metals Skin Corr. Skin corrosion



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR PŁYN DO CZYSZCZENIA OPON

Creation date 11th August 2024

Revision date Version 1.0

Skin Sens. Skin sensitization

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Raw material Safety Data Sheets were used to evaluate this product. Data was used in accordance with Article 9 paragraph 4 of Regulation (EC) No 1272/2008. Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.