

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

STAPAR WOSK NA MOKRO

Substance / mixture

mixture

UFI

3560-S0D2-X00C-PJ3K

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Mixture's intended use

Automotive body waxing product, car paint protection wax.

##### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Name or trade name

STAPAR Sp. z o.o.

Address

Wenecja 62, Żnin, 88-400

Poland

VAT Reg No

PL5621804826

Phone

+48 (52) 561 04 82

E-mail

biuro@stapar.pl

Web address

www.stapar.pl

##### Competent person responsible for the safety data sheet

Name

STAPAR Sp. z o.o.

E-mail

biuro@stapar.pl

#### 1.4. Emergency telephone number

European emergency number: 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

#### 2.2. Label elements

none

##### Supplemental information

EUH208

Contains citral, reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of substances and additives specified below.

##### Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	0,1-0,4	Eye Irrit. 2, H319	2, 3

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 Registration number: 01-2119475108-36	2-butoxyethanol	0,1-0,4	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331 Specific concentration limit: ATE Oral = 1200 mg/kg bw ATE Inhalation (vapor) = 3 mg/l	2
Index: 605-019-00-3 CAS: 5392-40-5 EC: 226-394-6 Registration number: 01-2119462829-23	citral	0,01-0,1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	0,0001- 0,00015	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

### Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- A substance for which exposure limits are set.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### **If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

### **If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

### **4.2. Most important symptoms and effects, both acute and delayed**

#### **If inhaled**

Not expected.

#### **If on skin**

Not expected.

#### **If in eyes**

Not expected.

#### **If swallowed**

Not expected.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Accommodate extinguishing components to the location of fire.

#### **Unsuitable extinguishing media**

not available

### **5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### **5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Follow the instructions in the Sections 7 and 8.

### **6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

### **6.3. Methods and material for containment and cleaning up**

After removal of the product, wash the contaminated site with plenty of water.

### **6.4. Reference to other sections**

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### **7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

### **7.3. Specific end use(s)**

not available

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
2-butoxyethanol (CAS: 111-76-2)	OEL 8 hours	98 mg/m <sup>3</sup>	Skin
	OEL 8 hours	20 ppm	
	OEL 15 minutes	246 mg/m <sup>3</sup>	
	OEL 15 minutes	50 ppm	

#### European Union

#### Commission Directive 2006/15/EC

Substance name (component)	Type	Value	Note
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m <sup>3</sup>	
	OEL 8 hours	10 ppm	
	OEL 15 minutes	101,2 mg/m <sup>3</sup>	
	OEL 15 minutes	15 ppm	

#### DNEL

2-(2-butoxyethoxy)ethanol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	67.5 mg/m <sup>3</sup> of air	Chronic effects systemic		ECHA
Workers	Inhalation	67.5 mg/m <sup>3</sup> of air	Chronic effects local		ECHA
Workers	Inhalation	101.2 mg/m <sup>3</sup> of air	Acute effects local		ECHA
Workers	Dermal	83 mg/kg bw/day	Chronic effects local		ECHA
Consumers	Inhalation	40.5 mg/m <sup>3</sup> of air	Chronic effects systemic		ECHA
Consumers	Inhalation	40.5 mg/m <sup>3</sup> of air	Chronic effects local		ECHA
Consumers	Inhalation	60.7 mg/m <sup>3</sup> of air	Acute effects local		ECHA
Consumers	Dermal	50 mg/kg bw/day	Chronic effects local		ECHA
Consumers	Oral	5 mg/kg bw/day	Chronic effects systemic		ECHA

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended



## STAPAR WOSK NA MOKRO

Creation date

11th August 2024

Revision date

Version

1.0

### 2-butoxyethanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Inhalation	98 mg/m <sup>3</sup>	Chronic effects systemic		ECHA
Workers (0)	Inhalation	1091 mg/m <sup>3</sup>	Acute effects systemic		ECHA
Consumers (0)	Inhalation	59 mg/m <sup>3</sup>	Chronic effects systemic		ECHA
Consumers (0)	Inhalation	426 mg/m <sup>3</sup>	Acute effects systemic		ECHA
Workers (0)	Inhalation	246 mg/m <sup>3</sup>	Acute effects local		ECHA
Consumers (0)	Inhalation	146 mg/m <sup>3</sup>	Acute effects local		ECHA
Consumers (0)	Oral	6.3 mg/kg bw/day	Chronic effects systemic		ECHA
Consumers (0)	Oral	26.7 mg/kg bw/day	Acute effects systemic		ECHA

### citral

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Inhalation	9 mg/m <sup>3</sup>	Chronic effects systemic		ECHA
Consumers (0)	Inhalation	2.7 mg/m <sup>3</sup>	Chronic effects systemic		ECHA
Workers (0)	Dermal	1.7 mg/kg bw/day	Chronic effects systemic		ECHA
Consumers (0)	Dermal	1 mg/kg bw/day	Chronic effects systemic		ECHA
Workers (0)	Dermal	0.140 mg/cm <sup>2</sup>	Chronic effects local		ECHA
Consumers (0)	Dermal	0.140 mg/cm <sup>2</sup>	Chronic effects local		ECHA
Consumers (0)	Oral	0.6 mg/kg bw/day	Chronic effects systemic		ECHA

### PNEC

#### 2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Value determination	Source
Drinking water	1.1 mg/l		ECHA
Water (intermittent release)	11 mg/l		ECHA
Marine water	110 µg/l		ECHA
Microorganisms in sewage treatment	200 mg/l		ECHA
Freshwater sediment	4.4 mg/kg of dry substance of sediment		ECHA
Sea sediments	0.44 mg/kg of dry substance of sediment		ECHA
Soil (agricultural)	0.32 mg/kg of dry substance of soil		ECHA

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### 2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Value determination	Source
Food chain	56 mg/kg of food		ECHA

### 2-butoxyethanol

Route of exposure	Value	Value determination	Source
Drinking water	8.8 mg/l		ECHA
Water (intermittent release)	26.4 mg/l		ECHA
Marine water	880 µg/l		ECHA
Microorganisms in sewage treatment	463 mg/l		ECHA
Freshwater sediment	34.6 mg/kg of dry substance of sediment		ECHA
Sea sediments	3.46 mg/kg of dry substance of sediment		ECHA
Soil (agricultural)	2.33 mg/kg of dry substance of soil		ECHA
Food chain	20 mg/kg of food		ECHA

### citral

Route of exposure	Value	Value determination	Source
Drinking water	6.78 µg/l		ECHA
Water (intermittent release)	67.8 µg/l		ECHA
Marine water	678 µg/l		ECHA
Microorganisms in sewage treatment	1.6 mg/l		ECHA
Sea sediments	0.0125 mg/kg of dry substance of sediment		ECHA
Freshwater sediment	0.125 mg/kg of dry substance of sediment		ECHA

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. When handling in long-term or repeatedly, use protective gloves.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

### Thermal hazard

Not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	white
color intensity	light
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	7-9 (undiluted)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.95-1.05 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

STAPAR WOSK NA MOKRO							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		229500 mg/kg				Calculation of value
Dermal	ATE		58000000 mg/kg				Calculation of value
Inhalation (vapor)	ATE		748.3 mg/l				Calculation of value

2-(2-butoxyethoxy)ethanol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>		2410 mg/kg		Mouse	F/M	
Oral	LD <sub>50</sub>		2764 mg/kg		Rabbit	F/M	

2-butoxyethanol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>	OECD 401	1300 mg/kg bw		Guinea-pig (Cavia aperea f. porcellus)	F/M	
Inhalation (vapor)	LC <sub>50</sub>	OECD 403	>400 ppm	7 hours	Guinea-pig (Cavia aperea f. porcellus)	F/M	
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Guinea-pig (Cavia aperea f. porcellus)	F/M	
Intraperitoneally	LD <sub>50</sub>		1174 mg/kg bw		Mouse	F/M	
Oral	ATE		1200 mg/kg bw				
Inhalation (vapor)	ATE		3 mg/l				

citral							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>		6800 mg/kg		Rat (Rattus norvegicus)	F/M	
Dermal	LD <sub>50</sub>		2250 mg/kg		Rabbit		



# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>		64-66 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>		141 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>		87 mg/kg		Rabbit		

### Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Serious eye damage/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### citral

Route of exposure	Result	Method	Exposure time	Species
Eye	Irritating	OECD 405		Rabbit

### Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### citral

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471				
Negative	OECD 476		Ovary	Chinese hamster (Cricetulus barabensis)	F
Negative	OECD 473		Ovary	Chinese hamster (Cricetulus barabensis)	F
Negative	OECD 474			Mouse	F/M

### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Acute toxicity

2-(2-butoxyethoxy)ethanol					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		1300 mg/l		Fish (Lepomis macrochirus)	
EC <sub>50</sub>		>100 mg/l		Daphnia (Daphnia magna)	
EC <sub>50</sub>	OECD 201	>100 mg/l		Algae (Selenastrum capricornutum)	
EC <sub>10</sub>	OECD 209	>1995 mg/l		Aquatic microorganisms	

2-butoxyethanol					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>	OECD 203	1474 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC <sub>50</sub>	OECD 202	1550 mg/l	48 hours	Daphnia (Daphnia magna)	
EC <sub>50</sub>	OECD 201	1840 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC <sub>50</sub>		>700 mg/l	16 hours	Microorganisms (Pseudomonas putida)	

citral					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		6.78 mg/l	96 hours	Fish (Leuciscus idus)	
EC <sub>50</sub>		6.8 mg/l	48 hours	Daphnia (Daphnia magna)	

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

citral					
Parameter	Method	Value	Exposure time	Species	Environment
EC <sub>50</sub>		103.8 mg/l	72 hours	Algae and other aquatic plants (Desmodesmus subspicatus)	
EC <sub>50</sub>	OECD 209	160 mg/l	0,5 hours	Algae (Selenastrum capricornutum)	

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)					
Parameter	Method	Value	Exposure time	Species	Environment
LD <sub>50</sub>		0.19 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC <sub>50</sub>		0.16 mg/l	48 hours	Daphnia (Daphnia magna)	

### 12.2. Persistence and degradability

Data for the mixture are not available.

#### Biodegradability

2-(2-butoxyethoxy)ethanol					
Parameter	Method	Value	Exposure time	Environment	Result
BZT	OECD 301C	80-90 %	28 days		

citral					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	>90 %			Easily biodegradable

### 12.3. Bioaccumulative potential

Data for the mixture are not available.

citral						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 107	2.76				

### 12.4. Mobility in soil

No data are available for either the mixture or the components.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (OJ L 167, 27.6.2012) REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p>

#### 15.2. Chemical safety assessment

A safety assessment for the mixture is not required.

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.

#### A list of additional standard phrases used in the safety data sheet

EUH208	Contains citral, reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>10</sub>	Concentration of a substance when it is affected 10% of the population

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date	11th August 2024	Version	1.0
Revision date			

EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Raw material Safety Data Sheets were used to evaluate this product. Data was used in accordance with Article 9 paragraph 4 of Regulation (EC) No 1272/2008. Classification procedure - calculation method.

### Statement

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## STAPAR WOSK NA MOKRO

Creation date 11th August 2024

Revision date Version 1.0

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.